

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	941	(glucagon-like adj peptide) or glp-1 or glp-2	USPAT; US-PGPUB; EPO; DERWENT	2003/06/26 13:28			0
2	BRS	L2	2433	lipophilic adj (substituent or group)	USPAT; US-PGPUB; EPO; DERWENT	2003/06/26 13:39			0
3	BRS	L3	39	((glucagon-like adj peptide) or glp-1 or glp-2) same (lipophilic adj (substituent or group))	USPAT; US-PGPUB; EPO; DERWENT	2003/06/26 13:39			0
4	BRS	L4	15372	(fatty adj acid) same (amino)	USPAT; US-PGPUB; EPO; DERWENT	2003/06/26 13:46			0
5	BRS	L5	12	1 same 4	USPAT; US-PGPUB; EPO; DERWENT	2003/06/26 13:47			0
6	BRS	L6	470	spacer same ((succinic adj acid) or glu or asp)	USPAT; US-PGPUB; EPO; DERWENT	2003/06/26 13:49			0
7	BRS	L7	7	3 same 6	USPAT; US-PGPUB; EPO; DERWENT	2003/06/26 13:49			0
8	BRS	L8	1397	tetradecanoyl	USPAT; US-PGPUB; EPO; DERWENT	2003/06/26 14:09			0
9	BRS	L9	23	1 same 8	USPAT; US-PGPUB; EPO; DERWENT	2003/06/26 14:10			0
10	BRS	L10	4	1 same 8 same 2	USPAT; US-PGPUB; EPO; DERWENT	2003/06/26 14:10			0
11	BRS	L11	20	jonassen adj tb.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/26 14:10			0

	Type	L #	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definition	Errors
12	BRS	L12	35	havelund adj svend.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/26 14:11			0
13	BRS	L13	5	halstrom adj john.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/26 14:11			0
14	BRS	L14	5	hansen adj per adj hertz.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/26 14:12			0
15	BRS	L15	4	((jonassen adj ib.in.) or (havelund adj svend.in.) or (hansen adj per adj hertz.in.) or (halstrom adj john.in.)) and ((glucagon-like adj peptide) or glp-1 or glp-2 )	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/26 14:12			0

=> file medline caplus biosis emb scisearch agricola  
COST IN U.S. DOLLARS SINCE FILE TOTAL  
FULL ESTIMATED COST ENTRY SESSION  
0.21 0.21

FILE 'MEDLINE' ENTERED AT 14:18:34 ON 26 JUN 2003

FILE 'CAPLUS' ENTERED AT 14:18:34 ON 26 JUN 2003  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 14:18:34 ON 26 JUN 2003  
COPYRIGHT (C) 2003 BIOLOGICAL ABSTRACTS INC.(R)

FILE 'EMBASE' ENTERED AT 14:18:34 ON 26 JUN 2003  
COPYRIGHT (C) 2003 Elsevier Science B.V. All rights reserved.

FILE 'SCISEARCH' ENTERED AT 14:18:34 ON 26 JUN 2003  
COPYRIGHT 2003 THOMSON ISI

FILE 'AGRICOLA' ENTERED AT 14:18:34 ON 26 JUN 2003

=> s (glucagon-like peptide-1) or (glucagon-like peptide-2) or glp-1 or glp-2  
L1 9755 (GLUCAGON-LIKE PEPTIDE-1) OR (GLUCAGON-LIKE PEPTIDE-2) OR GLP-1  
OR GLP-2

=> s lipophilic (w) (substituent or group)  
L2 1577 LIPOPHILIC (W) (SUBSTITUENT OR GROUP)

=> s l1 (p) l2  
L3 8 L1 (P) L2

=> duplicate remove l3  
DUPLICATE PREFERENCE IS 'CAPLUS, BIOSIS'  
KEEP DUPLICATES FROM MORE THAN ONE FILE? Y/(N):n  
PROCESSING COMPLETED FOR L3  
L4 7 DUPLICATE REMOVE L3 (1 DUPLICATE REMOVED)

=> d l4 1-7 ibib abs

L4 ANSWER 1 OF 7 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.  
ACCESSION NUMBER: 2002:609774 BIOSIS  
DOCUMENT NUMBER: PREV200200609774  
TITLE: Derivatives of GLP-1 analogs.  
AUTHOR(S): Knudsen, Liselotte Bjerre (1); Huusfeldt, Per Olaf;  
Nielsen, Per Franklin  
CORPORATE SOURCE: (1) Valby Denmark  
ASSIGNEE: Novo Nordisk A/S, Bagsvaerd, Denmark  
PATENT INFORMATION: US 6458924 October 01, 2002  
SOURCE: Official Gazette of the United States Patent and Trademark  
Office Patents, (Oct. 1, 2002) vol. 1263, No. 1, pp. No  
Pagination. <http://www.uspto.gov/web/menu/patdata.html>.  
e-file.  
ISSN: 0098-1133.  
DOCUMENT TYPE: Patent  
LANGUAGE: English  
AB The present invention relates to a pharmaceutical composition comprising a  
\*\*\*GLP\*\*\* - \*\*\*1\*\*\* derivative having a \*\*\*lipophilic\*\*\*  
\*\*\*substituent\*\*\* ; and a surfactant.

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS DUPLICATE 1  
ACCESSION NUMBER: 2001:721487 CAPLUS  
DOCUMENT NUMBER: 135:273221  
TITLE: Preparation of lipophilic human glucagon-like  
peptide-1 derivatives with protracted action profiles  
INVENTOR(S): Knudsen, Liselotte; Huusfeldt, Per Olaf; Nielsen, Per  
Franklin; Kaarsholm, Niels C.; Olsen, Helle Birk;  
Bjorn, Soren Erik; Pedersen, Freddy Zimmerdahl;  
Madsen, Kjeld  
PATENT ASSIGNEE(S): Novo Nordisk A/s, Den.  
SOURCE: U.S., 136 pp., Cont.-in-part of U.S. Ser. No. 38,432,  
abandoned.  
CODEN: USXXAM  
DOCUMENT TYPE: Patent  
LANGUAGE: English

FAMILY ACC. NUM. COUNT: 11  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 6268343	B1	20010731	US 1999-258750	19990226
WO 9808871	A1	19980305	WO 1997-DK340	19970822
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
JP 2001011095	A2	20010116	JP 2000-152778	19970822
ZA 9901571	A	19990902	ZA 1999-1571	19990226
US 2001011071	A1	20010802	US 1999-398111	19990916
US 6458924	B2	20021001		
US 2002025933	A1	20020228	US 2001-908534	20010718
PRIORITY APPLN. INFO.:				
			DK 1996-931	A 19960830
			DK 1996-1259	A 19961108
			DK 1996-1470	A 19961220
			US 1997-36255P	P 19970124
			US 1997-36226P	P 19970125
			WO 1997-DK340	A2 19970822
			US 1997-918810	B2 19970826
			DK 1998-263	A 19980227
			DK 1998-264	A 19980227
			DK 1998-268	A 19980227
			DK 1998-272	A 19980227
			DK 1998-274	A 19980227
			US 1998-38432	B2 19980311
			DK 1998-508	A 19980408
			DK 1998-509	A 19980408
			US 1998-82478P	P 19980421
			US 1998-82480P	P 19980421
			US 1998-84357P	P 19980421
			US 1998-82802P	P 19980423
			US 1997-35905P	P 19970124
			JP 1998-511183	A3 19970822
			US 1997-922200	B2 19970902
			DK 1998-271	A 19980227
			US 1998-78422P	P 19980318
			US 1998-82479P	P 19980421
			US 1998-85789P	P 19980518
			US 1999-258187	B1 19990225
			US 1999-258750	A2 19990226
			US 1999-265141	A2 19990308

OTHER SOURCE(S): MARPAT 135:273221

AB The present invention relates to human \*\*\*glucagon\*\*\* - \*\*\*like\*\*\*  
\*\*\*peptide\*\*\* - \*\*\*1\*\*\* ( \*\*\*GLP\*\*\* - \*\*\*1\*\*\* ) derivs. having a  
\*\*\*lipophilic\*\*\* \*\*\*substituent\*\*\*, compns. contg. these derivs.,  
and to methods for their prepn. A claimed compd. is His-Ala-Glu-Gly-Thr-  
Phe-Thr-Ser-Asp-Val-Ser-Ser-Tyr-Leu-Glu-Gly-Gln-Ala-Ala-Lys-Glu-Phe-Ile-  
Ala-Trp-Leu-Val-Arg-Gly-Arg-Gly. Thus, coupling of \*\*\*GLP\*\*\* -  
\*\*\*1\*\*\* (7-37)-OH with Me(CH<sub>2</sub>)<sub>12</sub>CO-Glu(OSu)-OCMe<sub>3</sub> (Su = succinimidyl)  
(prepn. given), followed by deesterification with CF<sub>3</sub>CO<sub>2</sub>H and chromatog.  
purifn. gave 8% bis-adduct Lys[Me(CH<sub>2</sub>)<sub>12</sub>CO- $\gamma$ -Glu]<sub>26,34</sub>- \*\*\*GLP\*\*\*  
- \*\*\*1\*\*\* (7-37)-OH. Several prepd. lipophilic \*\*\*GLP\*\*\* - \*\*\*1\*\*\*  
analogues were tested for protracted plasma concn. in pigs and were found to  
be much more persistent than \*\*\*GLP\*\*\* - \*\*\*1\*\*\* (7-37). In addn.,  
the time of peak plasma concn. was found to vary within wide limits  
depending on the particular lipophilic \*\*\*GLP\*\*\* - \*\*\*1\*\*\* deriv.  
selected. The efficacy of several prepd. derivs. was tested by  
stimulation of cAMP in a cell line expressing cloned human \*\*\*GLP\*\*\* -  
\*\*\*1\*\*\* receptor.

REFERENCE COUNT: 18 THERE ARE 18 CITED REFERENCES AVAILABLE FOR THIS  
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 3 OF 7 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 2001:566665 CAPLUS

DOCUMENT NUMBER: 135:122756

TITLE: Preparation of lipophilic human glucagon-like  
peptide-1 derivatives with protracted action profiles  
INVENTOR(S): Knudsen, Liselotte Bjerre; Huusfeldt, Per Olaf;  
Nielsen, Per Franklin; Kaarsholm, Niels C.; Olsen,

PATENT ASSIGNEE(S): Helle Birk; Bjorn, Soren Erik; Pedersen, Freddy  
 SOURCE: Zimmerdal; Madsen, Kjeld  
 Den.  
 U.S. Pat. Appl. Publ., 133 pp., Cont.-in-part of U.S.  
 Ser. No. 265,141.  
 CODEN: USXXCO  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 11  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2001011071	A1	20010802	US 1999-398111	19990916
US 6458924	B2	20021001		
WO 9808871	A1	19980305	WO 1997-DK340	19970822
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
JP 2001011095	A2	20010116	JP 2000-152778	19970822
US 6268343	B1	20010731	US 1999-258750	19990226
US 6384016	B1	20020507	US 1999-265141	19990308
US 2002025933	A1	20020228	US 2001-908534	20010718

PRIORITY APPLN. INFO.:

DK 1996-931	A	19960830
DK 1996-1259	A	19961108
DK 1996-1470	A	19961220
US 1997-36255P	P	19970124
US 1997-36226P	P	19970125
US 1998-84357P	P	19970822
WO 1997-DK340	W	19970822
US 1997-918810	B2	19970826
DK 1998-263	A	19980227
DK 1998-264	A	19980227
DK 1998-268	A	19980227
US 1998-38432	B2	19980311
US 1998-78422P	P	19980318
US 1998-82478P	P	19980421
US 1998-82479P	P	19980421
US 1998-82480P	P	19980421
US 1998-82802P	P	19980423
US 1999-258750	A2	19990226
US 1999-265141	A2	19990308
US 1997-35905P	P	19970124
JP 1998-511183	A3	19970822
US 1997-922200	B2	19970902
DK 1998-271	A	19980227
DK 1998-272	A	19980227
DK 1998-274	A	19980227
EP 1998-610006	A	19980313
DK 1998-508	A	19980408
DK 1998-509	A	19980408
US 1998-85789P	P	19980518
US 1999-258187	B1	19990225

OTHER SOURCE(S): MARPAT 135:122756

AB The present invention relates to pharmaceutical compns. comprising  
 lipophilic human \*\*\*glucagon\*\*\* - \*\*\*like\*\*\* \*\*\*peptide\*\*\* -  
 \*\*\*1\*\*\* ( \*\*\*GLP\*\*\* - \*\*\*1\*\*\* ) derivs. having a \*\*\*lipophilic\*\*\*  
 \*\*\*substituent\*\*\* and a surfactant. Thus, coupling of \*\*\*GLP\*\*\* -  
 \*\*\*1\*\*\* (7-37)-OH with Me(CH<sub>2</sub>)<sub>12</sub>CO-Glu(OSu)-OCMe<sub>3</sub> (Su = succinimidyl)  
 (prepn. given), followed by deesterification with CF<sub>3</sub>CO<sub>2</sub>H and chromatog.  
 purifn. gave 8% bis-adduct Lys[Me(CH<sub>2</sub>)<sub>12</sub>CO- $\gamma$ -Glu]<sub>26,34</sub>- \*\*\*GLP\*\*\*  
 - \*\*\*1\*\*\* (7-37)-OH. Several prepd. lipophilic \*\*\*GLP\*\*\* - \*\*\*1\*\*\*  
 analogs were tested for protracted plasma concn. in pigs and were found to  
 be much more persistent than \*\*\*GLP\*\*\* - \*\*\*1\*\*\* (7-37). In addn.,  
 the time of peak plasma concn. was found to vary within wide limits  
 depending on the particular lipophilic \*\*\*GLP\*\*\* - \*\*\*1\*\*\* deriv.  
 selected. The efficacy of several prepd. derivs. was tested by  
 stimulation of CAMP in a cell line expressing cloned human \*\*\*GLP\*\*\* -  
 \*\*\*1\*\*\* receptor.

DOCUMENT NUMBER: 131:194808  
 TITLE: GLP-1 derivatives of GLP-1 and exendin with a protracted profile of action  
 INVENTOR(S): Knudsen, Liselotte Bjerre; Huusfeldt, Per Olaf; Nielsen, Per Franklin; Madsen, Kjeld  
 PATENT ASSIGNEE(S): Novo Nordisk A/s, Den.  
 SOURCE: PCT Int. Appl., 70 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 11  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9943708	A1	19990902	WO 1999-DK86	19990225
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
AU 9932477	A1	19990915	AU 1999-32477	19990225
EP 1056775	A1	20001206	EP 1999-936077	19990225
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, FI				
ZA 9901571	A	19990902	ZA 1999-1571	19990226
US 2001047084	A1	20011129	US 2001-886311	20010621
PRIORITY APPLN. INFO.: DK 1998-274 A 19980227 US 1998-84357P P 19980505 WO 1999-DK86 W 19990225 US 1999-312177 B1 19990514				

AB The present invention relates to derivs. exendin and of \*\*\*GLP\*\*\* - \*\*\*1\*\*\* (7-C), wherein C is 35 or 36, which derivs. have just one \*\*\*lipophilic\*\*\* \*\*\*substituent\*\*\* which is attached to the C-terminal amino acid residue. The derivs. have a protracted action relative to \*\*\*GLP\*\*\* - \*\*\*1\*\*\* (7-37) and are useful for treating insulin-dependent and noninsulin-dependent diabetes mellitus. The derivs. of the invention can be combined with other antidiabetics or oral hypoglycemic agents. Pharmaceutical formulations contg. the derivs. of the invention are also claimed.

REFERENCE COUNT: 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 1999:566075 CAPLUS  
 DOCUMENT NUMBER: 131:200093  
 TITLE: Preparation of GLP-1 analogs for treatment of obesity and non-insulin dependent diabetes mellitus  
 INVENTOR(S): Knudsen, Liselotte Bjerre; Huusfeldt, Per Olaf; Nielsen, Per Franklin; Pedersen, Freddy Zimmerdahl  
 PATENT ASSIGNEE(S): Novo Nordisk A/s, Den.  
 SOURCE: PCT Int. Appl., 270 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 11  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9943706	A1	19990902	WO 1999-DK82	19990225
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
AU 9926106	A1	19990915	AU 1999-26106	19990225
EP 1060191	A1	20001220	EP 1999-906076	19990225
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, SI, LT, FI, RO				
ZA 9901569	A	19990827	ZA 1999-1569	19990226

ZA 9901570 A 19990907 ZA 1999-1570 19990226  
PRIORITY APPLN. INFO.: DK 1998-268 A 19980226  
WO 1999-DK82 W 19990226

OTHER SOURCE(S): MARPAT 131:200093

AB \*\*\*GLP\*\*\* - \*\*\*1\*\*\* analog derivs. His-Xaa8-Xaa9-Gly-Xaa11-Phe-Thr-Xaa14-Asp-Xaa16-Xaa17-Xaa18-Xaa19-Xaa20-Xaa21-Xaa22-Xaa23-Xaa24-Xaa25-Xaa26-Xaa27-Phe-Ile-Xaa30-Xaa31-Xaa32-Xaa33-Xaa34-Xaa35-Xaa36-Xaa37-Xaa38-Xaa39-Xaa40-Xaa41-Xaa42-Xaa43-Xaa44-Xaa45 [Xaa represents an amino acid residue, e.g., Xaa8, Xaa25, Xaa30 = Ala, Gly, Ser, Thr, Leu, Ile, Val, Glu, Asp, Lys; Xaa9, Xaa21, Xaa27 = Glu, Asp, Lys; Xaa11 = Thr, Ala, Gly, Ser, Leu, Ile, Val, Glu, Asp, Lys; Xaa14, Xaa17, Xaa18 = Val, Ala, Gly, Ser, Thr, Leu, Ile, Tyr, Glu, Asp, Lys] having a \*\*\*lipophilic\*\*\*  
\*\*\*substituent\*\*\* were prepd. for the treatment of obesity and non-insulin dependent diabetes mellitus. Thus, Arg26-34,Lys36[N.epsilon.-[.gamma.-glutamyl(N.alpha.-hexadecanoyl)]] \*\*\*GLP\*\*\* - \*\*\*1\*\*\*  
(7-36)-OH was prepd. via reaction of Arg26-34,Lys36 \*\*\*GLP\*\*\* -  
\*\*\*1\*\*\* (7-36)-OH with Pal-Glu(ONSu)-But (Pal = hexadecanoyl, NSU = succinimide residue). The synthesized compds. have a protracted profile of action relative to \*\*\*GLP\*\*\* - \*\*\*1\*\*\* (7-37).

REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 1999:566074 CAPLUS

DOCUMENT NUMBER: 131:194807

TITLE: Insulintropic N-terminally truncated GLP-1 lipophilic derivatives with protracted action

INVENTOR(S): Knudsen, Liselotte Bjerre; Huusfeldt, Per Olaf

PATENT ASSIGNEE(S): Novo Nordisk A/S, Den.

SOURCE: PCT Int. Appl., 50 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 11

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9943705	A1	19990907	WO 1999-DK81	19990225
W:	AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
AU 9926105	A1	19990915	AU 1999-26105	19990225
EP 1056774	A1	20001206	EP 1999-906075	19990225
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, FI			
JP 2002508162	T2	20020319	JP 2000-533455	19990225

PRIORITY APPLN. INFO.: DK 1998-264 A 19980227  
DK 1998-509 A 19980408  
WO 1999-DK81 W 19990225

OTHER SOURCE(S): MARPAT 131:194807

AB The present invention relates to N-terminally truncated derivs. of human \*\*\*glucagon\*\*\* - \*\*\*like\*\*\* \*\*\*peptide\*\*\* - \*\*\*1\*\*\* ( \*\*\*GLP\*\*\* - \*\*\*1\*\*\* ) and analogs thereof having a protracted profile of action, as well as the use of such derivs. in pharmaceutical compns. for the treatment of obesity, insulin dependent or non-insulin dependent diabetes mellitus. The \*\*\*GLP\*\*\* - \*\*\*1\*\*\* derivs. have a \*\*\*lipophilic\*\*\*  
\*\*\*substituent\*\*\* attached to at least one amino acid residue.

REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 1998:163616 CAPLUS

DOCUMENT NUMBER: 128:244341

TITLE: Preparation of lipophilic human glucagon-like peptide-1 derivatives with protracted action profiles

INVENTOR(S): Knudsen, Liselotte Bjerre; Sorensen, Per Olaf; Nielsen, Per Franklin

PATENT ASSIGNEE(S): Novo Nordisk A/S, Den.; Knudsen, Liselotte Bjerre; Sorensen, Per Olaf; Nielsen, Per Franklin

SOURCE: PCT Int. Appl., 76 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 11  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9808871	A1	19980305	WO 1997-DK340	19970822
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9738478	A1	19980319	AU 1997-38478	19970822
AU 732957	B2	20010503		
EP 944648	A1	19990929	EP 1997-935509	19970822
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, SI, LT, LV, FI, RO				
CN 1232470	A	19991020	CN 1997-198413	19970822
BR 9711437	A	20000118	BR 1997-11437	19970822
JP 2000500505	T2	20000118	JP 1998-511183	19970822
JP 3149958	B2	20010326		
JP 2001011095	A2	20010116	JP 2000-152778	19970822
NO 9900950	A	19990428	NO 1999-950	19990226
US 6268343	B1	20010731	US 1999-258750	19990226
KR 2000035964	A	20000626	KR 1999-701750	19990302
US 2001011071	A1	20010802	US 1999-398111	19990916
US 6458924	B2	20021001		
US 2002025933	A1	20020228	US 2001-908534	20010718

PRIORITY APPLN. INFO.:

DK 1996-931	A	19960830
DK 1996-1259	A	19961108
DK 1996-1470	A	19961220
US 1997-35905P	P	19970124
US 1997-36255P	P	19970124
US 1997-36226P	P	19970125
JP 1998-511183	A3	19970822
WO 1997-DK340	W	19970822
US 1997-918810	B2	19970826
US 1997-922200	B2	19970902
DK 1998-263	A	19980227
DK 1998-264	A	19980227
DK 1998-268	A	19980227
DK 1998-271	A	19980227
DK 1998-272	A	19980227
DK 1998-274	A	19980227
US 1998-38432	B2	19980311
US 1998-78422P	P	19980318
DK 1998-508	A	19980408
DK 1998-509	A	19980408
US 1998-82478P	P	19980421
US 1998-82479P	P	19980421
US 1998-82480P	P	19980421
US 1998-84357P	P	19980421
US 1998-82802P	P	19980423
US 1998-85789P	P	19980518
US 1999-258187	B1	19990225
US 1999-258750	A2	19990226
US 1999-265141	A2	19990308

AB Lipophilic human \*\*\*glucagon\*\*\* - \*\*\*like\*\*\* \*\*\*peptide\*\*\* -  
 \*\*\*1\*\*\* ( \*\*\*GLP\*\*\* - \*\*\*1\*\*\* ) derivs. and analogs thereof having a  
 \*\*\*lipophilic\*\*\* \*\*\*substituent\*\*\* have interesting pharmacol.  
 properties, in particular they have a more protracted profile of action  
 than \*\*\*GLP\*\*\* - \*\*\*1\*\*\* (7-37). Thus, coupling of \*\*\*GLP\*\*\* -  
 \*\*\*1\*\*\* (7-37)-OH with Me(CH<sub>2</sub>)<sub>12</sub>CO-Glu(OSu)-OCMe<sub>3</sub> (Su = succinimidyl)  
 (prepn. given), followed by deesterification with CF<sub>3</sub>CO<sub>2</sub>H and chromatog.  
 purifn. gave 8% bis-adduct Lys[Me(CH<sub>2</sub>)<sub>12</sub>CO- $\gamma$ -Glu]<sub>26,34</sub>- \*\*\*GLP\*\*\*  
 - \*\*\*1\*\*\* (7-37)-OH (NNC 90-1167). Several prepd. lipophilic  
 \*\*\*GLP\*\*\* - \*\*\*1\*\*\* analogs were tested for protracted plasma concn.  
 in pigs and were found to be much more persistent than \*\*\*GLP\*\*\* -  
 \*\*\*1\*\*\* (7-37). In addn., the time of peak plasma concn. was found to  
 vary within wide limits depending on the particular lipophilic \*\*\*GLP\*\*\*  
 - \*\*\*1\*\*\* deriv. selected. The efficacy of several prepd. derivs. was  
 tested by stimulation of CAMP in a cell line expressing cloned human  
 \*\*\*GLP\*\*\* - \*\*\*1\*\*\* receptor.

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS



=> s (fatty acid) (p) amino  
L5 30193 (FATTY ACID) (P) AMINO

=> d his

(FILE 'HOME' ENTERED AT 14:18:05 ON 26 JUN 2003)

FILE 'MEDLINE, CAPLUS, BIOSIS, EMBASE, SCISEARCH, AGRICOLA' ENTERED AT  
14:18:34 ON 26 JUN 2003

L1 9755 S (GLUCAGON-LIKE PEPTIDE-1) OR (GLUCAGON-LIKE PEPTIDE-2) OR GLP  
L2 1577 S LIPOPHILIC (W) (SUBSTITUENT OR GROUP)  
L3 8 S L1 (P) L2  
L4 7 DUPLICATE REMOVE L3 (1 DUPLICATE REMOVED)  
L5 30193 S (FATTY ACID) (P) AMINO

=> s l1 (p) l5  
L6 21 L1 (P) L5

=> duplicate remove l6  
DUPLICATE PREFERENCE IS 'MEDLINE, CAPLUS, BIOSIS, EMBASE, SCISEARCH, AGRICOLA'  
KEEP DUPLICATES FROM MORE THAN ONE FILE? Y/(N):n  
PROCESSING COMPLETED FOR L6  
L7 10 DUPLICATE REMOVE L6 (11 DUPLICATES REMOVED)

=> s l7 not l4  
L8 10 L7 NOT L4

=> s l8 (p) substit?  
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH  
FIELD CODE - 'AND' OPERATOR ASSUMED 'L40 (P) SUBSTIT?'  
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH  
FIELD CODE - 'AND' OPERATOR ASSUMED 'L43 (P) SUBSTIT?'  
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH  
FIELD CODE - 'AND' OPERATOR ASSUMED 'L46 (P) SUBSTIT?'  
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH  
FIELD CODE - 'AND' OPERATOR ASSUMED 'L49 (P) SUBSTIT?'  
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH  
FIELD CODE - 'AND' OPERATOR ASSUMED 'L52 (P) SUBSTIT?'  
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH  
FIELD CODE - 'AND' OPERATOR ASSUMED 'L55 (P) SUBSTIT?'  
L9 2 L8 (P) SUBSTIT?

=> d l10 1-2 ibib abs  
L10 NOT FOUND  
The L-number entered has not been defined in this session, or it  
has been deleted. To see the L-numbers currently defined in this  
session, enter DISPLAY HISTORY at an arrow prompt (=>).

=> d l8 1-2 ibib abs

L8 ANSWER 1 OF 10 MEDLINE  
ACCESSION NUMBER: 2000256912 MEDLINE  
DOCUMENT NUMBER: 20256912 PubMed ID: 10794683  
TITLE: Potent derivatives of glucagon-like peptide-1 with  
pharmacokinetic properties suitable for once daily  
administration.  
AUTHOR: Knudsen L B; Nielsen P F; Huusfeldt P O; Johansen N L;  
Madsen K; Pedersen F Z; Thogersen H; Wilken M; Agerso H  
CORPORATE SOURCE: Department of Molecular Pharmacology, Health Care Discovery  
and Preclinical Development, Novo Nordisk A/S, Novo Park,  
DK-2760 Maaloev, Denmark.. lbkn@novo.dk  
SOURCE: JOURNAL OF MEDICINAL CHEMISTRY, (2000 May 4) 43 (9) 1664-9.  
Journal code: 9716531. ISSN: 0022-2623.  
PUB. COUNTRY: United States  
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)  
LANGUAGE: English  
FILE SEGMENT: Priority Journals  
ENTRY MONTH: 200006  
ENTRY DATE: Entered STN: 20000706  
Last Updated on STN: 20000706  
Entered Medline: 20000629

AB A series of very potent derivatives of the 30- \*\*\*amino\*\*\* acid peptide  
hormone \*\*\*glucagon\*\*\* - \*\*\*like\*\*\* \*\*\*peptide\*\*\* - \*\*\*1\*\*\* (  
\*\*\*GLP\*\*\* - \*\*\*1\*\*\* ) is described. The compounds were all derivatized

with \*\*\*fatty\*\*\* \*\*\*acids\*\*\* in order to protract their action by facilitating binding to serum albumin. \*\*\*GLP\*\*\* - \*\*\*1\*\*\* had a potency (EC(50)) of 55 pM for the cloned human \*\*\*GLP\*\*\* - \*\*\*1\*\*\* receptor. Many of the compounds had similar or even higher potencies, despite quite large substituents. All compounds derivatized with \*\*\*fatty\*\*\* \*\*\*acids\*\*\* equal to or longer than 12 carbon atoms were very protracted compared to \*\*\*GLP\*\*\* - \*\*\*1\*\*\* and thus seem suitable for once daily administration to type 2 diabetic patients. A structure-activity relationship was obtained. \*\*\*GLP\*\*\* - \*\*\*1\*\*\* could be derivatized with linear \*\*\*fatty\*\*\* \*\*\*acids\*\*\* up to the length of 16 carbon atoms, sometimes longer, almost anywhere in the C-terminal part without considerable loss of potency. Derivatization with two \*\*\*fatty\*\*\* \*\*\*acid\*\*\* substituents led to a considerable loss of potency. A structure-activity relationship on derivatization of specific \*\*\*amino\*\*\* acids generally was obtained. It was found that the longer the \*\*\*fatty\*\*\* \*\*\*acid\*\*\*, the more potency was lost. Simultaneous modification of the N-terminus (in order to obtain better metabolic stability) interfered with \*\*\*fatty\*\*\* \*\*\*acid\*\*\* derivatization and led to loss of potency.

L8 ANSWER 2 OF 10 MEDLINE  
 ACCESSION NUMBER: 95363369 MEDLINE  
 DOCUMENT NUMBER: 95363369 PubMed ID: 7636436  
 TITLE: Luminal glucagon-like peptide-1(7-36) amide-releasing factors in the isolated vascularly perfused rat colon.  
 AUTHOR: Plaisancie P; Dumoulin V; Chayvialle J A; Cuber J C  
 CORPORATE SOURCE: INSERM Unite 45, Pavillon H bis, Hopital Edouard Herriot, Lyon, France.  
 SOURCE: JOURNAL OF ENDOCRINOLOGY, (1995 Jun) 145 (3) 521-6.  
 Journal code: 0375363. ISSN: 0022-0795.  
 PUB. COUNTRY: ENGLAND: United Kingdom  
 DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)  
 LANGUAGE: English  
 FILE SEGMENT: Priority Journals  
 ENTRY MONTH: 199509  
 ENTRY DATE: Entered STN: 19950921  
 Last Updated on STN: 19950921  
 Entered Medline: 19950913

AB \*\*\*Glucagon\*\*\* - \*\*\*like\*\*\* \*\*\*peptide\*\*\* - \*\*\*1\*\*\* (\*\*\*GLP\*\*\* - \*\*\*1\*\*\*) is released from endocrine cells of the distal part of the gut after ingestion of a meal. \*\*\*GLP\*\*\* - \*\*\*1\*\*\* secretion is, in part, under the control of hormonal and/or neural mechanisms. However, stimulation of the colonic L cells may also occur directly by the luminal contents. This was examined in the present study, using an isolated vascularly perfused rat colon. \*\*\*GLP\*\*\* - \*\*\*1\*\*\* immunoreactivity was measured in the portal effluent after luminal infusion of a variety of compounds which are found in colonic contents (nutrients, fibers, bile acids, short-chain \*\*\*fatty\*\*\* \*\*\*acids\*\*\* (SCFAs)). Oleic acid (100 mM) or a mixture of \*\*\*amino\*\*\* acids (total concentration 250 mM), or starch (0.5%, w/v) did not increase \*\*\*GLP\*\*\* - \*\*\*1\*\*\* secretion over basal value. A pharmacological concentration of glucose (250 mM) elicited a marked release of \*\*\*GLP\*\*\* - \*\*\*1\*\*\* which was maximal at the end of infusion (400% of basal), while 5 mM glucose was without effect on secretion. Pectin evoked a dose-dependent release of \*\*\*GLP\*\*\* - \*\*\*1\*\*\* over the range 0.1-0.5% (w/v) with a maximal response at 360% of basal when 0.5% pectin was infused. Cellulose or gum arabic (0.5%) did not modify \*\*\*GLP\*\*\* - \*\*\*1\*\*\* secretion. The SCFAs acetate, propionate or butyrate (5, 20 and 100 mM) did not induce a significant release of \*\*\*GLP\*\*\* - \*\*\*1\*\*\*. Among the four bile acids tested, namely taurocholate, cholate, deoxycholate and hyodeoxycholate, the last one was the most potent at eliciting a \*\*\*GLP\*\*\* - \*\*\*1\*\*\* response with a maximal release at 300% and 400% of the basal value when 2 and 20 mM bile acid were administered respectively. (ABSTRACT TRUNCATED AT 250 WORDS)

=> d his

(FILE 'HOME' ENTERED AT 14:18:05 ON 26 JUN 2003)

FILE 'MEDLINE, CAPLUS, BIOSIS, EMBASE, SCISEARCH, AGRICOLA' ENTERED AT 14:18:34 ON 26 JUN 2003

L1 9755 S (GLUCAGON-LIKE PEPTIDE-1) OR (GLUCAGON-LIKE PEPTIDE-2) OR GLP  
 L2 1577 S LIPOPHILIC (W) (SUBSTITUENT OR GROUP)  
 L3 8 S L1 (P) L2  
 L4 7 DUPLICATE REMOVE L3 (1 DUPLICATE REMOVED)  
 L5 30193 S (FATTY ACID) (P) AMINO

L6 21 S L1 (P) L5  
L7 10 DUPLICATE REMOVE I 11 DUPLICATES REMOVED)  
L8 10 S L7 NOT L4  
L9 2 S L8 (P) SUBSTIT?

=> s spacer (p) (succinic or glu or asp)  
L10 640 SPACER (P) (SUCCINIC OR GLU OR ASP)

=> s l10 (p) l3  
L11 0 L10 (P) L3

=> s tetradecanoyl (p) l3  
L12 0 TETRADECANOYL (P) L3

=> d his

(FILE 'HOME' ENTERED AT 14:18:05 ON 26 JUN 2003)

FILE 'MEDLINE, CAPLUS, BIOSIS, EMBASE, SCISEARCH, AGRICOLA' ENTERED AT  
14:18:34 ON 26 JUN 2003

L1 9755 S (GLUCAGON-LIKE PEPTIDE-1) OR (GLUCAGON-LIKE PEPTIDE-2) OR GLP  
L2 1577 S LIPOPHILIC (W) (SUBSTITUENT OR GROUP)  
L3 8 S L1 (P) L2  
L4 7 DUPLICATE REMOVE L3 (1 DUPLICATE REMOVED)  
L5 30193 S (FATTY ACID) (P) AMINO  
L6 21 S L1 (P) L5  
L7 10 DUPLICATE REMOVE L6 (11 DUPLICATES REMOVED)  
L8 10 S L7 NOT L4  
L9 2 S L8 (P) SUBSTIT?  
L10 640 S SPACER (P) (SUCCINIC OR GLU OR ASP)  
L11 0 S L10 (P) L3  
L12 0 S TETRADECANOYL (P) L3

=> log y

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
68.87	69.08

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-3.91	-3.91

CA SUBSCRIBER PRICE

STN INTERNATIONAL LOGOFF AT 14:26:04 ON 26 JUN 2003